

AUTOMOTIVE MOTORCYCLE OIL



Technical Data Sheet

MOTO 4T CLASSIC SEMI SYNTHETIC / MINERAL

PRODUCT DESCRIPTION:

Moto 4T Classic is a multi-grade motor oil specifically designed for four-stroke engines in motorcycles, scooters, and mopeds. It is formulated by blending high-quality base oils with a carefully balanced additive system from reputable additive manufacturers. This oil offers improved detergency, anti-wear, and anti-foam properties, while also providing high resistance to oxidation and corrosion.

APPLICATIONS:

Moto 4T Classic is specifically designed to be used in four-stroke engines of scooters, mopeds, motorcycles, and ATVs that require the API SF performance level. It is also suitable for lubricating motorbike transmissions and clutches that need motor oil lubrication.

FEATURES & BENEFITS:

- Maximum engine power.
- Unsuper passed gear protection.
- Outstanding wear protection

- · Excellent shear and oxidation resistance
- Better clutch "feeling"
- · Excellent low temperature fluidity

PERFORMANCE LEVELS: Meets or Exceeds:

API SF

TYPICAL PROPERTIES:

TIFICAL PROPERTIES.									
PARAMETERS	TEST METHOD	UNIT	MOTO 4T CLASSIC						
Grade			10W-30	10W-40	10W-50	15W-40	15W-50	20W-40	20W-50
Kinematic Viscosity @ 104°F /40°C	D7042	cSt	TBR	TBR	TBR	TBR	TBR	TBR	TBR
Kinematic Viscosity @ 212°F /100°C	D7042	cSt	11.7	15.1	19.5	15	19.5	15	20
Viscosity Index (min)	D2270	-	145	145	145	135	135	120	120
Density @15°C/60°F	D4052	g/cm3	TBR	TBR	TBR	TBR	TBR	TBR	TBR
Flash Point (min)	D92	°C	220	220	220	220	220	220	220
Pour Point (max)	D97	°C	-36	-36	-36	-33	-33	-24	-24

DISCLAIMER:

The test data provided is not a final specification; rather, it serves as a guideline and may vary within acceptable production tolerances. Bravoil reserves the right to modify this test data. Any updates will supersede previous versions, so please refer to the most recent Technical Data Sheet (TDS).

HEALTH & SAFETY, ENVIRONMENT:

Prolonged and repeated contact with oil may cause skin disorders. Avoid contact. Wash immediately with soap and water. Do not discharge used oil in to drains or the environment. Dispose to an authorized used oil collection point. For further Information on Safety Guidelines please refer to MSDS available on our website www.bravoil.ae

HEALTH & SAFETY:

This product is not likely to present any significant health or safety hazards when properly used in the recommended application and good standards of personal hygiene are maintained. Reference is made to the Safety Data Sheet (SDS) which is available on request via your local sales office or via the internet www.bravoil.ae

PROTECT THE ENVIRONMENT:

Take used oil to an authorized collection point. Comply with local regulation. Do not discharge into drains, soil or water.

STORAGE:

We recommend to store all packages under cover. In case outside storage is unavoidable, drums should be laid horizontally to avoid the possible ingress of water and damage to drum markings. Products should never be stored above 60° C, exposed to hot sun or freezing conditions.

inquiry@bravoil.ae bravoil.ae version: 01-2023