

AUTOMATIC TRANSMISSION FLUID

Technical Data Sheet



SYNTHPOWER CHF

PRODUCT DESCRIPTION:

SYNTHPOWER CHF is a versatile synthetic hydraulic fluid that offers excellent performance and is equipped with ashless additives. It is specifically formulated for use in various systems of modern cars, including power steering, brakes, suspension leveling, and hydraulic suspension systems. Additionally, it can be utilized in shock absorbers, hydro-pneumatic suspension, and traction and stability control systems, making it a highly effective and multi-purpose solution.

APPLICATION:

SYNTHPOWER CHF is highly recommended for the power steering and suspension systems of late model European prestige vehicles as a service refill or top-up fluid. It can serve as a direct replacement for OEM LDS fluids and Pentosin SYNTHPOWER CHF 11S, reducing workshop inventory. Additionally, it can be used in certain brake systems, but it is important to consult the vehicle handbook for compatibility before use.

FEATURES & BENEFITS

- · Good flow rates of fluid at extremes of temperature
- Excellent lubricating properties
- High thermal stability
- Excellent protection against wear & corrosion
- Excellent compatibility with all kind of seals and hoses

TYPICAL PROPERTIES:

P ARAMETERS	SYNTHPOWER CHF (Typical Specification)
MAN	M3289
MB	345.0
PENTOSIN	CHF 11S
Chrysler	MS-11655
FORD	M2C204-A
BMW	81 22 9 407 758
VW/SEAT/SKODA/AUDI	G 002 000 (TL 521 46), G 004 000
HYUNDAI/KIA	PSF-3/PSF-4
FIAT	9.55550-AG2/9.55550-AG3 VG 22
GM	89021185/ 89021186/ 1052884/ 993294
VOLVO	1161529

DISCLAIMER:

The test data provided is not a final specification; rather, it serves as a guideline and may vary within acceptable production tolerances. Bravoil reserves the right to modify this test data. Any updates will supersede previous versions, so please refer to the most recent Technical Data Sheet (TDS).

HEALTH & SAFETY, ENVIRONMENT:

Prolonged and repeated contact with oil may cause skin disorders. Avoid contact. Wash immediately with soap and water. Do not discharge used oil in to drains or the environment. Dispose to an authorized used oil collection point. For further Information on Safety Guidelines please refer to MSDS available on our website www.bravoilae

HEAITH & SAFETY

This product is not likely to present any significant health or safety hazards when properly used in the recommended application and good standards of personal hygiene are maintained. Reference is made to the Safety Data Sheet (SDS) which is available on request via your local sales office or via the internet www.bravoil.ae

PROTECT THE ENVIRONMENT:

Take used oil to an authorized collection point. Comply with local regulation. Do not discharge into drains, soil or water.

STORAGE:

We recommend to store all packages under cover. In case outside storage is unavoidable, drums should be laid horizontally to avoid the possible ingress of water and damage to drum markings. Products should never be stored above 60°C, exposed to hot sun or freezing conditions.

